## TIPS AND TRICKS

## **ADVANCED GROUNDWORK**



Rubber moulds are prefect to create pieces of rock or individual stones of various shapes and sizes.



Ceramic plaster is best suited for this job as it dries quickly and becomes rock hard.




Always fill the moulds completely.








For the edges use plasticard witha thickness of at least 1,5mm to avoid deforming.





Dryfitting is important before you make the final cuts.

Make sure the wooden frame is sturdy enough to carry the weight of the entire base.



You can leave the plasticard as it is or cover it with veneer of your choice. Cut the veneer roughly in size and bring it to form once glued to the plasticard.




These are the basic materials needed to make up a decent groundwork. Most of can be found in your garden.

It's recommended that you mix fine sand and wood glue into the plaster. The wood glue will help it stick to the foam.







Make sure the foam is covered with layer of minimum 2mm plaster.



A knife or a spatula are perfect to apply the plaster.



When you add the rocks use a brush and water to blend them in with the surface.



Fine stones or cat litter can be sprinkled in the still wet plaster.



If you want to add tire or track marks this must be done before the plaster is completely dry.



When completed, you can set the whole base aside to let it dry overnight.





Before painting make a test fit of the position of your vehicle.

> The perfect basecoat is just black.

Depending of where your model is situated

you can apply the basecoat. But make always a bit lighter than

the color you have in

mind.





The vegetation is sprayed in various green tones. Use a piece of paper to avoid overspray.



Apply several washes to bring everything together. This can be done with oils or with ready to use products.

Garbage or pieces of vehicles are perfect to fill an empty corner.



Some small stones are hand painted in several different color to add more variation in tone.







Always work with enough variation in tone and sizes of the vegetation and rocks.





The best way to attach figures and vehicles to the base is with metal pins. Attach some pins in the vehicles and figures and glue them in place in the corresponding holes made in the base.



Painting the wooden frame and the veneer section in the prefered colors is the final step.

